








SECTION D-D
SCALE 1:1




SECTION C-C
SCALE 1:1

							TOLERANCES UNLESS OTHERWISE SPECIFIED X. ±0.50 X.X ±0.30 X.XX ±0.20 X.XXX ±0.15 ANGEL ±3°	TITLE Display Port 2.1 TYPE2(UHBR20) 20P H=6.68mm CH=3.4mm SMT TYPE.				UNIT mm
								ORIGINAL DATA 05-20'24	 T-CONN PRECISION			
								DWN. Jiahao				
								CHK. Jimmy	PART NO. SEE TABLE	SCALE 1:1	SIZE A3	REV. A
A	FIRST RELEASED	N2405097	Jiahao			05-31'24	MATERIAL SEE TABLE	APVD. Kevin	DWG. NO. C-22-D1612		SHEET 2 OF 5	
REV.	DESCRIPTION	ECN NO.	DWN.	CHK.	APVD.	DATE	FINISH SEE NOTE					



							TOLERANCES UNLESS OTHERWISE SPECIFIED	TITLE	Display Port 2.1 TYPE2(UHBR20) 20P H=6.68mm CH=3.4mm SMT TYPE.	UNIT	mm
							X. ±0.50	ORIGINAL DATA	05-20'24		
							X.X ±0.30	DWN.	Jiahao		
							X.XX ±0.20	CHK.	Jimmy	PART NO.	SEE TABLE
							X.XXX ±0.15	APVD.	Kevin	SCALE	1:1
							ANGEL ±3°			SIZE	A3
A	FIRST RELEASED	N2405097	Jiahao			05-31'24	MATERIAL	SEE TABLE		REV.	A
REV.	DESCRIPTION	ECN NO.	DWN.	CHK.	APVD.	DATE	FINISH	SEE NOTE	DWG. NO.	C-22-D1612	SHEET
											3 OF 5






SCALE 2:1

PIN NO	PIN NAME	DESCRIPTION
PIN 1	ML_Lane 0(p)	Lane 0(positive)
PIN 2	GND	Ground
PIN 3	ML_Lane 0(n)	Lane 0(negative)
PIN 4	ML_Lane 1(p)	Lane 1(positive)
PIN 5	GND	Ground
PIN 6	ML_Lane 1(n)	Lane 1(negative)
PIN 7	ML_Lane 2(p)	Lane 2(positive)
PIN 8	GND	Ground
PIN 9	ML_Lane 2(n)	Lane 2(negative)
PIN 10	ML_Lane 3(p)	Lane 3(positive)

PIN NO	PIN NAME	DESCRIPTION
PIN 11	GND	Ground
PIN 12	ML_Lane 3(n)	Lane 3(negative)
PIN 13	CONFIG1	connected to Ground 1
PIN 14	CONFIG2	connected to Ground 1
PIN 15	AUX CH(p)	Auxiliary Channel(positive)
PIN 16	GND	Ground
PIN 17	AUX CH(n)	Auxiliary Channel(negative)
PIN 18	Hot Plug	Hot Plug Detect
PIN 19	Return	Return for Power
PIN 20	DP_PWR	Power for connector (3.3V 500mA)

PIN DEFINE.

							TOLERANCES UNLESS OTHERWISE SPECIFIED	TITLE	Display Port 2.1 TYPE2(UHBR20) 20P H=6.68mm CH=3.4mm SMT TYPE.	UNIT	mm
							X. ±0.50 X.X ±0.30 X.XX ±0.20 X.XXX ±0.15 ANGEL ±3°	ORIGINAL DATA	05-20'24	 T-CONN PRECISION	
							MATERIAL	DWN.	Jiahao		
							FINISH	CHK.	Jimmy	PART NO.	SEE TABLE
A	FIRST RELEASED	N2405097	Jiahao			05-31'24	SEE TABLE	APVD.	Kevin	SCALE	1:1
REV.	DESCRIPTION	ECN NO.	DWN.	CHK.	APVD.	DATE	SEE NOTE	DWG. NO.	C-22-D1612	SIZE	A3
										REV.	A
										SHEET	4 OF 5



NOTE :

220	10	2200 PCS	-- KG	-- KG
PCS/ TAPE	Reel/ BOX	QUANTITY	GROSS WEIGHT	NET WEIGHT

							TOLERANCES UNLESS OTHERWISE SPECIFIED	TITLE Display Port 2.1 TYPE2(UHBR20) 20P H=6.68mm CH=3.4mm SMT TYPE.				UNIT mm		
								X. ±0.50 X.X ±0.30 X.XX ±0.20 X.XXX ±0.15 ANGEL ±3°	ORIGINAL DATA 05-20'24	 T-CONN PRECISION				
									DWN. Jiahao	PART NO.		SCALE 1:1	SIZE A3	REV. A
									CHK. Jimmy	SEE TABLE				
									FINISH	APVD. Kevin	DWG. NO. C-22-D1612		 SHEET 5 of 5	
A	FIRST RELEASED	N2405097	Jiahao			05-31'24	SEE TABLE							
REV.	DESCRIPTION	ECN NO.	DWN.	CHK.	APVD.	DATE	SEE NOTE							